SAFETY DATA SHEET

Jotun Thinner No. 16

SDS Number: AA00319-0000000239

In accordance with the Standard for Classification and Labeling of Chemical Substance and Safety Data Sheet, Article 10 Paragraph 1

Section 1. Chemical product and company identification

Α.	Product name	: Jotun Thinner No. 16
	Product code	: 1039
	Registration number	: Not available.
	Product description	: Solvent.

B. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Use in coatings - Industrial use Use in coatings - Professional use

C. Manufacturer	: Chokwang Jotun Ltd. 96, Gwahaksandan 1-ro Gangseo-gu, Busan South Korea Tel: +82 51 797 6000 Fax: +82 51 711 7735 SDSJotun@jotun.com
Emergency telephone	: H.G.LEE Chokwang Jotun Ltd.
number	Tel: +82 51 797 6000

Section 2. Hazards identification

A. Hazard classification	 FLAMMABLE LIQUIDS - Category 3 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (Respiratory tract irritation) - Category 3 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (Narcotic effects) - Category 3 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2
	This product is classified in accordance with the Industrial Safety and Health Act and the Chemical Control Act.

B. <u>GHS label elements, including precautionary statements</u> Symbol :

	: Warning.
onte	• H226 Elammable liquid and vanour

Hazard statements	: H226 - Flammable liquid and vapour.
	H335 - May cause respiratory irritation.
	H336 - May cause drowsiness or dizziness.
	H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements

Signal word

Section 2. Hazards identification

Prevention	 P280 - Wear protective gloves, protective clothing and eye or face protection. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P271 - Use only outdoors or in a well-ventilated area. P273 - Avoid release to the environment. P261 - Avoid breathing vapour.
Response	 P391 - Collect spillage. P304 + P340, P312 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell. P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
Storage	 P405 - Store locked up. P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.
Disposal	: P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.

С.

Other hazards which do	: None known.
not result in	
classification	

Section 3. Composition/information on ingredients

Substance/mixture	1	Substance
Chemical name	:	Solvent naphtha (petroleum), light arom.
Other means of identification	:	Not available.

CAS number/other identifiers

Ingredient name	Comm
EC number	: 918-668-5
CAS number	: 128601-23-0

Ingredient name	Common name	Identifiers	%
hydrocarbons, C9, aromatics	hydrocarbons, C9, aromatics	CAS: 64742-95-6	100

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Α.	Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Β.	Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
C.	Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or

Section 4. First aid measures

waistband.

D.	Ingestion	:	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison center or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Е.	Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Specific treatments	:	No specific treatment.
	Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Firefighting measures

A .	Extinguishing media		
	Suitable extinguishing media	:	Use dry chemical, CO ₂ , water spray (fog) or foam.
	Unsuitable extinguishing media	:	Do not use water jet.
в.	Specific hazards arising from the chemical	:	Flammable liquid and vapour. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
	Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide
C.	Special protective equipment for fire- fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	Special precautions for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Section 6. Accidental release measures

Α.	Personal precautions,	:	No action shall be taken involving any personal risk or without suitable training.
	protective equipment		Evacuate surrounding areas. Keep unnecessary and unprotected personnel from
	and emergency		entering. Do not touch or walk through spilt material. Shut off all ignition sources.
	procedures		No flares, smoking or flames in hazard area. Avoid breathing vapour or mist.
			Provide adequate ventilation. Wear appropriate respirator when ventilation is
			inadequate. Put on appropriate personal protective equipment.

Section 6. Accidental release measures

В.	Environmental : precautions	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.
C .	Methods and material for c	ontainment and cleaning up
	Small spill :	Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	Large spill :	Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spill product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Α.	Precautions for safe han	dlin	g
	Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.
	Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
в.	Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidising materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

A. <u>Control parameters</u>

Occupational exposure limits None.

Section 8. Exposure controls/personal protection

В.	Appropriate engineering controls		Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.
	Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
С.	Personal protective equip	ome	<u>ent</u>
	Respiratory protection	:	If workers are exposed to concentrations above the exposure limit, they must use a respirator according to EN 140. Use respiratory mask with charcoal and dust filter when spraying this product, according to EN 14387(as filter combination A2-P2). In confined spaces, use compressed-air or fresh-air respiratory equipment. When use of roller or brush, consider use of charcoalfilter.
	Eye protection	:	Use safety eyewear designed to protect against splash of liquids.
	Hand protection	:	There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals. The breakthrough time must be greater than the end use time of the product. The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed. Gloves should be replaced regularly and if there is any sign of damage to the glove material. Always ensure that gloves are free from defects and that they are stored and used correctly. The performance or effectiveness of the glove may be reduced by physical/chemical
			damage and poor maintenance. Barrier creams may help to protect the exposed areas of the skin but should not be applied once exposure has occurred.
			Wear suitable gloves tested to ISO 374-1:2016. Recommended, gloves(breakthrough time) > 8 hours: nitrile rubber (> 0.75 mm)
			For right choice of glove materials, with focus on chemical resistance and time of penetration, seek advice by the supplier of chemical resistant gloves.
			The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment.
	Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.
	Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Α.	Appearance	
	Physical state	: Liquid.
	Colour	: Clear.
В.	Odour	: Characteristic.
С.	Odour threshold	: Not applicable.
D.	рН	: Not applicable.

Section 9. Physical and chemical properties

	J		
Е.	Melting/freezing point	:	Not applicable.
F.	Boiling point, initial boiling point, and boiling range	:	Lowest known value: 135 to 210°C (275 to 410°F)(hydrocarbons, C9, aromatics).
G.	Flash point	1	Closed cup: 51°C
н.	Evaporation rate	:	Not available.
I. –	Flammability (solid, gas)	1	Not applicable.
J.	Lower and upper explosive (flammable) limits	:	1.4 - 7.6%
Κ.	Vapour pressure	:	Highest known value: 0.3 kPa (2.5 mm Hg) (at 20°C) (hydrocarbons, C9, aromatics).
L.	Solubility	:	cold water Not soluble hot water Not soluble
Μ.	Vapour density	1	Not available.
N.	Relative density	:	0.88 g/cm³
O .	Partition coefficient: n- octanol/water	:	Not available.
Ρ.	Auto-ignition temperature	:	Lowest known value: 280 to 470°C (536 to 878°F) (hydrocarbons, C9, aromatics).
Q.	Decomposition temperature	:	Not available.
R.	Viscosity	:	Kinematic (40°C (104°F)): >20.5 mm²/s (>20.5 cSt)
S.	Molecular weight	;	Not applicable.

Particle characteristics

Median particle size

: Not applicable.

Section 10. Stability and reactivity

		-	-
Α.	Chemical stability	1	The product is stable.
	Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
В.	Conditions to avoid	:	Avoid all possible sources of ignition (spark or flame). Do not pressurise, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.
C.	Incompatible materials	:	Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids.
D.	Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Α.	Information on likely routes of exposure	:	Not available.
	Potential acute health eff	ect	<u>s</u>
	Inhalation	:	May cause drowsiness or dizziness. May cause respiratory irritation.
	Ingestion	:	No known significant effects or critical hazards.
	Skin contact	:	No known significant effects or critical hazards.
	Eye contact	:	No known significant effects or critical hazards.
	Over-exposure signs/syn	<u>ıpt</u>	<u>oms</u>

Section 11. Toxicological information

Inhalation				
		/fatigue ertigo	ollowing:	
Ingestion	: No specific of	data.		
Skin contact	: No specific of	data.		
Eye contact	: No specific of	data.		
Health hazards				
Acute toxicity				
Not available.				
Irritation/Corrosion Not available.				
<u>Sensitisation</u> Not available.				
CMR - ISHA Article 42 Not available.	Occupational Exp	osure Limits		
Mutagenicity Conclusion/Summary Carcinogenicity Conclusion/Summary Reproductive toxicity	'y : No known si	significant effects or critica		
Not available.				
Not available. <u>Teratogenicity</u> <u>Conclusion/Summary</u> <u>Specific target organ f</u>	•	significant effects or critica posure)	al hazards.	
<u>Teratogenicity</u> Conclusion/Summary	toxicity (single exp	-	1	Target organs
<u>Teratogenicity</u> Conclusion/Summary <u>Specific target organ f</u>	toxicity (single exp name	posure)	y Route of exposure	Respiratory tract
<u>Teratogenicity</u> Conclusion/Summary <u>Specific target organ t</u> Product/ingredient n	toxicity (single exp name	<u>posure)</u> Categor	y 3 -	
Teratogenicity Conclusion/Summary Specific target organ f Product/ingredient na hydrocarbons, C9, aro Specific target organ f Not available.	toxicity (single exp name omatics	Category Category Category	y 3 -	Respiratory tract irritation
Teratogenicity Conclusion/Summary Specific target organ for Product/ingredient nor hydrocarbons, C9, aro Specific target organ for Not available. Aspiration hazard	toxicity (single exp name omatics toxicity (repeated e	Category Category Category	y 3 y 3	Respiratory tract irritation
Teratogenicity Conclusion/Summary Specific target organ f Product/ingredient na hydrocarbons, C9, aro Specific target organ f Not available.	toxicity (single exp name omatics toxicity (repeated e	Category Category Category	y 3 -	Respiratory tract irritation

Chronic toxicity

General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Section 11. Toxicological information

N/A

Section 12. Ecological information

A. Ecotoxicity

Water polluting material. May be harmful to the environment if released in large quantities. This material is toxic to aquatic life with long lasting effects.

Product/ingredient name	Result	Species	Exposure
hydrocarbons, C9, aromatics	Acute EC50 <10 mg/l	Daphnia	48 hours
	Acute IC50 <10 mg/l Acute LC50 <10 mg/l	Algae Fish	72 hours 96 hours

B. Persistence and degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability	
hydrocarbons, C9, aromatics	-	-	Not readily	

C. Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
hydrocarbons, C9, aromatics	-	10 to 2500	high

D. Mobility in soil

Soil/water partition	: Not available.
coefficient (Koc)	

E. Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Α.	Disposal methods	:	The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
В.	Disposal precautions	:	This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapour from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

Page: 9/11

Section 14. Transport information

	-		
	UN	IMDG	ΙΑΤΑ
A. UN number	UN1268	UN1268	UN1268
B. UN proper shipping name	PETROLEUM DISTILLATES, N.O.S. (hydrocarbons, C9, aromatics)	PETROLEUM DISTILLATES, N.O.S. (hydrocarbons, C9, aromatics). Marine pollutant (hydrocarbons, C9, aromatics)	PETROLEUM DISTILLATES, N.O.S. (hydrocarbons, C9, aromatics)
C. Transport hazard class(es)	3		3
D. Packing group	111	111	111
E. Environmental hazards	Yes. The environmentally hazardous substance mark is not required.	Yes.	Yes. The environmentally hazardous substance mark is not required.
Additional informat	tion		
IMDG	: The marine pollutar Emergency sched	nt mark is not required when trans ules F-E, S-E	sported in sizes of ≤5 L or ≤5 kg.
ΙΑΤΑ	: The environmentall transportation regul	y hazardous substance mark ma lations.	y appear if required by other
ADR/RID	: The environmentall sizes of ≤5 L or ≤5 <u>Hazard identificati</u> <u>Tunnel code</u> (D/E)	ion number 30	ot required when transported in
F. Special precautio user	•	user's premises: always transpo Ensure that persons transporting ident or spillage.	

Transport in bulk according : Not available. to IMO instruments

Transport in accordance with ADR/RID, IMDG/IMO and ICAO/IATA and national regulation.

Section 15. Regulatory information

Α.	Regulation according to ISHA		
	ISHA article 117 (Harmful substances prohibited from manufacture)	:	None of the components are listed.
	ISHA article 118 (Harmful substances requiring permission)	1	None of the components are listed.
	Article 2 of Youth Protection Act on Substances Hazardous to Youth	:	Not applicable.
	Exposure Limits of Chemical Substances and Physical Factor		

None of the components have an OEL.

Section 15. Regulatory information

_			-)
	ISHA Enforcement Regs Annex 19 (Exposure standards established for harmful factors)	:	None of the components are listed.
	ISHA Enforcement Regs Annex 21 (Harmful factors subject to Work Environment Measurement)	:	None of the components are listed.
	ISHA Enforcement Regs Annex 22 (Harmful Factors Subject to Special Health Check- up)	:	None of the components are listed.
	Standard of Industrial Safety and Health Annex 12 (Hazardous substances subject to control)	:	None of the components are listed.
В.	Regulation according to	<u>Ch</u>	emicals Control Act
	AREC Article 17 (TRI)	:	None of the components are listed.
	AREC Article 32 (Banned)	:	None of the components are listed.
	Article 19 Subject to authorization (K-Reach Article 25)	:	None of the components are listed.
	AREC Toxic chemicals	1	Not applicable
	AREC Article 32 (Restricted)	:	None of the components are listed.
	CCA Article 39 (Accident Precaution Chemicals)	:	None of the components are listed.
	Existing Chemical Substances Subject to Registration	:	None of the components are listed.
C.	Dangerous Materials Safety Management Act	:	Class: Class 4 - Flammable Liquid Item: 4. Class 2 petroleums - Water-insoluble liquid Threshold: 1000 L Danger category: III Signal word: Contact with sources of ignition prohibited
D.	Wastes regulation	1	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Ε.	Regulation according to	oth	ner foreign laws
	International regulations		
	Chemical Weapon Conv Not listed.	<u>en</u>	tion List Schedules I, II & III Chemicals
	Montreal Protocol		
	Not listed.		
	Stockholm Convention Not listed.	<u>on</u>	Persistent Organic Pollutants
	Rotterdam Convention of Not listed.	<u>on</u>	Prior Informed Consent (PIC)

Section 15. Regulatory information

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Section 16. Other information

Α.	References	1	 Registry of Toxic Effects of Chemical Substances United States Environmental Protection Agency ECOTOX
В.	Date of issue	:	25.01.2022
	Date of revision	:	29.11.2023
С.	Version	:	1.04
	Date of printing	:	29.11.2023
D.	Other		
	Indicates information that	ha	s changed from previously issued version.
	Key to abbreviations	:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available SGG = Segregation Group UN = United Nations

Notice to reader

The information in this document is given to the best of Jotun's knowledge, based on laboratory testing and practical experience. Jotun's products are considered as semi-finished goods and as such, products are often used under conditions beyond Jotun's control. Jotun cannot guarantee anything but the quality of the product itself. Minor product variations may be implemented in order to comply with local requirements. Jotun reserves the right to change the given data without further notice.

Users should always consult Jotun for specific guidance on the general suitability of this product for their needs and specific application practices.

If there is any inconsistency between different language issues of this document, the English (United Kingdom) version will prevail.