

### Jotun Facade 1307

#### Section 1. Chemical product and company identification : Jotun Facade 1307 **Product name Product code** : 37264 **Product type** : Powder coating. Relevant identified uses of the substance or mixture and uses advised against Use in coatings - Industrial use **Supplier's details** : 佐敦涂料(张家港)有限公司 中国江苏扬子江国际化学工业园南海路39号 215634 电话: +86 512 58937988 传真:+86 512 58937986 Jotun Coatings (Zhangjiagang) Co. Ltd NO.39 Nanhai Road Jiangsu Yangtze River International Chemical Industry Park, Jiangsu Province 215634 China Tel: +86 512 58937988 Fax: +86 512 58937986 中远佐敦船舶涂料(青岛)有限公司 中国山东省青岛市高新区春阳路800号 总机电话: +86-532-68689888 总机传真: +86-532-66726750 Jotun COSCO Marine Coatings (Qingdao) Co. Ltd. No. 800, Chunyang Road, High-tech Zone, Qingdao, P. R. China Tel: +86-532-68689888 Fax: +86-532-66726750 SDSJotun@jotun.com **Emergency telephone** : Emergency Services for Chemical Incident of China. Tel: +86 532 83889090 number (with hours of operation)

## Section 2. Hazards identification

#### Classification of the substance or mixture according to GB 13690-2009 and GB 30000-2013

Classification of the	: ACUTE TOXICITY (oral) - Category 4
substance or mixture	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1
	SKIN SENSITISATION - Category 1
	GERM CELL MUTAGENICITY - Category 1B
	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3

#### **GHS label elements**

1/12

# Section 2. Hazards identification

Hazard pictograms	
Signal word	: Danger.
Hazard statements	<ul> <li>H302 - Harmful if swallowed.</li> <li>H317 - May cause an allergic skin reaction.</li> <li>H318 - Causes serious eye damage.</li> <li>H340 - May cause genetic defects.</li> <li>H412 - Harmful to aquatic life with long lasting effects.</li> </ul>
Precautionary statement	<u>s</u>
General	: Not applicable.
Prevention	<ul> <li>P201 - Obtain special instructions before use.</li> <li>P280 - Wear protective gloves, protective clothing and eye or face protection.</li> <li>P273 - Avoid release to the environment.</li> <li>P261 - Avoid breathing dust.</li> <li>P270 - Do not eat, drink or smoke when using this product.</li> </ul>
Response	<ul> <li>P308 + P313 - IF exposed or concerned: Get medical advice or attention.</li> <li>P362 + P364 - Take off contaminated clothing and wash it before reuse.</li> <li>P302 + P352 - IF ON SKIN: Wash with plenty of water.</li> <li>P333 + P313 - If skin irritation or rash occurs: Get medical advice or attention.</li> <li>P305 + P351 + P338, P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>Immediately call a POISON CENTER or doctor.</li> </ul>
Storage	: Not applicable.
Disposal	: P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Physical and chemical hazards	: No known significant effects or critical hazards.
Health hazards	: Harmful if swallowed. May cause an allergic skin reaction. Causes serious eye damage. May cause genetic defects.

# Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Other means of	: Not available.
identification	

Ingredient name	%	CAS number
1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1h,3h,5h)-trione	≤10	2451-62-9
zinc di(benzothiazol-2-yl) disulphide	≤0.3	155-04-4

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

Description of necessary first aid measures		
Eye contact	: Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.	
Inhalation	: Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.	
Skin contact	: Get medical attention immediately. Call a poison center or physician. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.	
Ingestion	: Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.	

#### Most important symptoms/effects, acute and delayed Potential acute health effects Eye contact : Causes serious eye damage. Inhalation : No known significant effects or critical hazards. **Skin contact** : May cause an allergic skin reaction. : Harmful if swallowed. Ingestion Over-exposure signs/symptoms Eye contact : Adverse symptoms may include the following: pain watering redness Inhalation : No specific data. **Skin contact** : Adverse symptoms may include the following: pain or irritation redness blistering may occur Ingestion : Adverse symptoms may include the following: stomach pains Indication of immediate medical attention and special treatment needed, if necessary Notes to physician : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Specific treatments : No specific treatment.

## Section 4. First aid measures

Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. If it
Protection of first-aluers	
	is suspected that fumes are still present, the rescuer should wear an appropriate
	mask or self-contained breathing apparatus. It may be dangerous to the person
	providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing
	thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

## Section 5. Firefighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	<ul> <li>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.</li> </ul>
Fire/explosion hazards	: Fine dust clouds may form explosive mixtures with air.

## Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures : No action shall be taken involving any personal risk or without suitable training. For non-emergency Evacuate surrounding areas. Keep unnecessary and unprotected personnel from personnel entering. Do not touch or walk through spilt material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. For emergency responders : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". **Environmental precautions** : Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Methods and material for containment and cleaning up : Move containers from spill area. Avoid dust generation. Do not dry sweep. **Small spill** Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled

Dispose of via a licensed waste disposal contractor.

waste container. Place spilled material in a designated, labeled waste container.

### Section 6. Accidental release measures

L	.arg	e spill	

: Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

#### Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

See Technical Data Sheet / packaging for further information.

## Section 8. Exposure controls/personal protection

#### **Control parameters**

Dust Limit : 10 mg/m<sup>3</sup> (TWA of total inhalable dust) and 4 mg/m<sup>3</sup> (TWA of respirable)

#### **Occupational exposure limits**

Ingredient name	Exposure limits
	ACGIH TLV (United States, 1/2022). [1,3,5-Triglycidyl-s-triazinetrione] TWA: 0.05 mg/m <sup>3</sup> 8 hours.

#### **Biological exposure indices**

No exposure indices known.

Appropriate engineering controls	: If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### Individual protection measures

# Section 8. Exposure controls/personal protection

dection d. Exposure controls/personal protection			
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.		
Eye/face protection	: Safety eyewear complying to ISO 16321-1:2022 should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.		
Skin protection			
Hand protection	<ul> <li>There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals. The breakthrough time must be greater than the end use time of the product. The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed. Gloves should be replaced regularly and if there is any sign of damage to the glove material. Always ensure that gloves are free from defects and that they are stored and used correctly. The performance or effectiveness of the glove may be reduced by physical/chemical damage and poor maintenance. Barrier creams may help to protect the exposed areas of the skin but should not be applied once exposure has occurred. Wear suitable gloves tested to ISO 374-1:2016. Recommended, gloves(breakthrough time) &gt; 8 hours: PVC (&gt; 0.5 mm), nitrile rubber (&gt; 0.75 mm), neoprene (&gt; 0.35 mm) May be used, gloves(breakthrough time) 4 - 8 hours: polyvinyl alcohol (PVA) (&gt; 0.3 mm)</li> </ul>		
	For right choice of glove materials, with focus on chemical resistance and time of penetration, seek advice by the supplier of chemical resistant gloves.		
	The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment.		
Body protection	<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>		
Other skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>		
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.		

# Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Date of issue/Date of revision	: 12.09.2023 Date of previous issue : No previous validation	Version : 1	6/12
рН	Not applicable.		
Odour threshold	: Not applicable.		
Odour	: Odourless.		
Colour	: Various.		
Physical state	: Solid. Powder.		
<u>Appearance</u>			

# Section 9. Physical and chemical properties and safety characteristics

Metiting point (dust)       :       85 - 115 °C         Boiling point, initial boiling       :       Not applicable.         Flash point       :       Not applicable.         Evaporation rate       :       Not applicable.         Evaporation rate       :       Not applicable.         Flammability       :       Not applicable.         Lower explosion limit (dust)       :       30 g/m³ (EN 14034-3)         Minimum ignition energy       :       10 - 30 (EN 13821)         (mJ)       :       Not applicable.         Vapour pressure       :       Not applicable.         Relative vapour density       :       Not applicable.         Density       :       1.2 to 1.9 g/cm³         Solubility(ies)       :					
point, and boiling range       Not applicable.         Flash point       : Not applicable.         Evaporation rate       : Not applicable.         Flammability       : Not applicable.         Lower explosion limit (dust)       : 30 g/m³ (EN 14034-3)         Minimum ignition energy (mJ)       : 10 - 30 (EN 13821)         Vapour pressure       : Not applicable.         Relative vapour density       : Not applicable.         Density       : 1.2 to 1.9 g/cm³         Solubility(ies)       :         Media       Result         rod water       Not soluble         Not soluble       Not soluble         Solubility in water       : Not available.         Partition coefficient: n-       : Not applicable.         octanol/water       : A00°C         Decomposition temperature       : >400°C         Decomposition temperature       : >400°C         Decomposition temperature       : >230°C (>446°F)         Viscosity       : Not applicable.         Particle characteristics       Median particle size         Median particle size       : Not available.	Melting point (dust)	1	85 - 115 °C		
Evaporation rate       : Not applicable.         Flammability       : Not applicable.         Lower explosion limit (dust)       : 30 g/m³ (EN 14034-3)         Minimum ignition energy       : 10 - 30 (EN 13821)         (mJ)       :         Vapour pressure       : Not applicable.         Relative vapour density       : Not applicable.         Density       : 1.2 to 1.9 g/cm³         Solubility(ies)       :         Media       Result         cold water       Not soluble         hot soluble       Not soluble         Solubility in water       : Not available.         Partition coefficient: n-       : Not applicable.         octanol/water       : > 400°C         Decomposition temperature       : > 230°C (>446°F)         Viscosity       : Not available.         Particle characteristics       : Not available.		:	Not applicable.		
Flammability       : Not applicable.         Lower explosion limit (dust)       : 30 g/m³ (EN 14034-3)         Minimum ignition energy       : 10 - 30 (EN 13821)         (mJ)       :         Vapour pressure       : Not applicable.         Relative vapour density       : Not applicable.         Density       : 1.2 to 1.9 g/cm³         Solubility(ies)       :         Media       Result         cold water       Not soluble         Not available.       Not soluble         Solubility in water       : Not available.         Partition coefficient: n-       : Not applicable.         octanol/water       : Not applicable.         Auto-ignition temperature       : > 400°C         Decomposition temperature       : > 230°C (>446°F)         Viscosity       : Not applicable.         Particle characteristics       Median particle size         Median particle size       : Not available.	Flash point	:	Not applicable.		
Lower explosion limit (dust)       : 30 g/m³ (EN 14034-3)         Minimum ignition energy       : 10 - 30 (EN 13821)         (mJ)       .         Vapour pressure       : Not applicable.         Relative vapour density       : Not applicable.         Density       : 1.2 to 1.9 g/cm³         Solubility(ies)       :         Media       Result         cold water       Not soluble         hot water       Not soluble         Solubility in water       : Not available.         Partition coefficient: n-       : Not applicable.         octanol/water       .         Auto-ignition temperature       : >400°C         Decomposition temperature       : >230°C (>446°F)         Viscosity       : Not applicable.         Particle characteristics       .         Median particle size       : Not available.	Evaporation rate	:	Not applicable.		
Minimum ignition energy       : 10 - 30 (EN 13821)         (mJ)       :         Vapour pressure       : Not applicable.         Relative vapour density       : Not applicable.         Density       : 1.2 to 1.9 g/cm³         Solubility(ies)       :         Media       Result         cold water       Not soluble         hot water       :         Solubility in water       : Not available.         Partition coefficient: n-       : Not applicable.         octanol/water       :         Auto-ignition temperature       : >400°C         Decomposition temperature       : >230°C (>446°F)         Viscosity       : Not applicable.         Particle characteristics       :         Median particle size       : Not available.	Flammability	:	Not applicable.		
(mJ)       Vapour pressure       : Not applicable.         Relative vapour density       : Not applicable.         Density       : 1.2 to 1.9 g/cm³         Solubility(ies)       :         Media       Result         cold water       Not soluble         Not water       Not soluble         Solubility in water       : Not available.         Partition coefficient: n-       : Not applicable.         octanol/water       : > 400°C         Decomposition temperature       : > 230°C (>446°F)         Viscosity       : Not applicable.         Particle characteristics       Mot available.         Median particle size       : Not available.	Lower explosion limit (dust)	:	30 g/m³ (EN 14034-3)		
Relative vapour density       : Not applicable.         Density       : 1.2 to 1.9 g/cm³         Solubility(ies)       :         Media       Result         cold water       Not soluble         hot water       Not soluble         Solubility in water       : Not available.         Partition coefficient: n-       : Not applicable.         octanol/water       : Not applicable.         Auto-ignition temperature       : > 400°C         Decomposition temperature       : > 230°C (>446°F)         Viscosity       : Not applicable.         Particle characteristics       Mot available.         Median particle size       : Not available.		:	: 10 - 30 (EN 13821)		
Density       : 1.2 to 1.9 g/cm³         Solubility(ies)       :         Media       Result         cold water       Not soluble         hot water       Not soluble         Solubility in water       : Not available.         Partition coefficient: n-       : Not applicable.         octanol/water       : > 400°C         Decomposition temperature       : > 230°C (>446°F)         Viscosity       : Not applicable.         Particle characteristics       Mot applicable.         Median particle size       : Not available.	Vapour pressure	:	: Not applicable.		
Solubility(ies)       :         Media       Result         cold water       Not soluble         hot water       Not soluble         Solubility in water       :         Partition coefficient: n-       :         octanol/water       :         Auto-ignition temperature       :         > 400°C       :         Decomposition temperature       :         :       >230°C (>446°F)         Viscosity       :         Particle characteristics         Median particle size       :         Not available.	Relative vapour density	:	Not applicable.		
Media       Result         cold water       Not soluble         hot water       Not soluble         Solubility in water       : Not available.         Partition coefficient: n-       : Not applicable.         octanol/water       .         Auto-ignition temperature       : > 400°C         Decomposition temperature       : >230°C (>446°F)         Viscosity       : Not applicable.         Particle characteristics       .         Median particle size       : Not available.	Density	:	1.2 to 1.9 g/cm <sup>3</sup>		
cold waterNot solublehot waterNot solubleSolubility in water: Not available.Partition coefficient: n-: Not applicable.octanol/water: > 400°CAuto-ignition temperature: > 230°C (>446°F)Viscosity: Not applicable.Particle characteristics: Not available.Median particle size: Not available.	Solubility(ies)	:			
hot waterNot solubleSolubility in water: Not available.Partition coefficient: n- octanol/water: Not applicable.Auto-ignition temperature: >400°CDecomposition temperature: >230°C (>446°F)Viscosity: Not applicable.Particle characteristics: Not applicable.Median particle size: Not available.	Media		Result		
Partition coefficient: n- octanol/water: Not applicable.Auto-ignition temperature Decomposition temperature : >230°C (>446°F)Viscosity Particle characteristics Median particle size: Not applicable.Particle characteristics Median particle size: Not available.					
octanol/waterAuto-ignition temperature: >400°CDecomposition temperature: >230°C (>446°F)Viscosity: Not applicable.Particle characteristicsMedian particle size: Not available.	Solubility in water	:	Not available.		
Decomposition temperature       : >230°C (>446°F)         Viscosity       : Not applicable.         Particle characteristics       .         Median particle size       : Not available.		:	Not applicable.		
Viscosity       : Not applicable.         Particle characteristics       .         Median particle size       : Not available.	Auto-ignition temperature	:	: >400°C		
Particle characteristics         Median particle size       : Not available.	Decomposition temperature	:	: >230°C (>446°F)		
Median particle size       : Not available.		: Not applicable.			
No additional information.		1	Not available.		
	No additional information.				

# Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	<ul> <li>Under normal conditions of storage and use, hazardous decomposition products should not be produced.</li> </ul>
Fine dust clouds may form exp	plosive mixtures with air.

# Section 11. Toxicological information

#### Information on toxicological effects

Acute toxicity

7/12

# Section 11. Toxicological information

Product/ingredient name	Result	Species	Dose	Exposure
1,3,5-tris(oxiranylmethyl) -1,3,5-triazine-2,4,6(1h,3h, 5h)-trione	LD50 Oral	Rat	138 mg/kg	-
zinc di(benzothiazol-2-yl) disulphide	LD50 Oral	Rat	540 mg/kg	-

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
1,3,5-tris(oxiranylmethyl) -1,3,5-triazine-2,4,6(1h,3h, 5h)-trione	Eyes - Irritant	Mammal - species unspecified	-	-	-
	Eyes - Severe irritant	Rabbit	-	100 milligrams	-

#### **Sensitisation**

Product/ingredient name	Route of exposure	Species	Result	
1,3,5-tris(oxiranylmethyl) -1,3,5-triazine-2,4,6(1h,3h, 5h)-trione	skin	Mammal - species unspecified	Sensitising	
zinc di(benzothiazol-2-yl) disulphide	skin	Mammal - species unspecified	Sensitising	

#### **Mutagenicity**

Not available.

#### **Carcinogenicity**

Not available.

#### **Reproductive toxicity**

Not available.

#### **Teratogenicity**

Not available.

#### Specific target organ toxicity (single exposure)

Not available.

#### Specific target organ toxicity (repeated exposure)

Product/ingredient name		Route of exposure	Target organs
1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1h,3h,5h)- trione	Category 2	-	-

#### Aspiration hazard

Not available.

#### Information on likely routes : Not available. of exposure

#### Potential acute health effects

Eye contact	: Causes serious eye damage.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: May cause an allergic skin reaction.
Ingestion	: Harmful if swallowed.

#### Symptoms related to the physical, chemical and toxicological characteristics

|--|

# Section 11. Toxicological information

Eye contact	: Adverse symptoms may include the following: pain watering redness
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur
Ingestion	: Adverse symptoms may include the following: stomach pains

Delayed and immediate effect	<u>cts</u>	as well as chronic effects from short and long-term exposure
Short term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Long term exposure		
Potential immediate effects	1	Not available.
Potential delayed effects	:	Not available.
Potential chronic health eff	ect	<u>IS</u>
Not available.		
General	:	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	May cause genetic defects.
Reproductive toxicity	:	No known significant effects or critical hazards.

#### Numerical measures of toxicity

#### Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
Jotun Facade 1307 1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1h,3h, 5h)-trione	1988.4 100	N/A N/A	N/A N/A	59.7 3	N/A N/A

# Section 12. Ecological information

Toxicity				
Product/ingredient name	Result	Species	Exposure	
zinc di(benzothiazol-2-yl) disulphide	Acute EC50 0.71 mg/l	Daphnia	48 hours	
	Acute LC50 0.73 mg/l	Fish	96 hours	
	Chronic NOEC 0.041 mg/l	Fish	89 days	

#### Persistence/degradability

Not available.

.....

# Section 12. Ecological information

Product/ingredient name	LogPow	BCF	Potential	
1,3,5-tris(oxiranylmethyl) -1,3,5-triazine-2,4,6(1h,3h, 5h)-trione	-0.8	-	low	
zinc di(benzothiazol-2-yl) disulphide	5.02	<8	low	

#### Mobility in soil

: Not available.

**Other adverse effects** : No known significant effects or critical hazards.

## Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

•				
	China	UN	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-
Transport hazard class(es)	-	-	-	-
Packing group	-	-	-	-
Environmental hazards	No.	No.	No.	No.

Special precautions for user	:	<b>Transport within user's premises:</b> always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
Extinguishing media		
Suitable extinguishing media	:	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	1	None known.
Incompatible materials	:	No specific data.

# Section 14. Transport information

Transport in bulk according : Not available. to IMO instruments

## Section 15. Regulatory information

Safety, health and environmental regulations specific for the product:

#### Law of the People's Republic of China on the Prevention and Control of Occupational Diseases

Regulations on the Control over Safety of Dangerous Chemicals Measures for Environmental Management of New Chemical Substances Law of the People's Republic of China on the Prevention and Control of Environment Pollution Caused by Solid Wastes Safety regulations for the use of chemicals in the workplace General Rule for Classification and Hazard Communication of Chemicals Classification and code of dangerous goods

#### List of Goods banned for Importing

None of the components are listed.

#### Drug Precursors Requiring an Import/Export License

None of the components are listed.

#### **Inventory of Hazardous Chemicals**

None of the components are listed.

#### List of Explosive Precursors

None of the components are listed.

#### List of Goods banned for Exporting

None of the components are listed.

#### List of Toxic Chemicals Severely Restricted for Importing & Exporting by China

None of the components are listed.

#### Catalogue and classification of drug precursor chemicals

None of the components are listed.

#### Inventory of highly toxic articles

None of the components are listed.

#### Catalogue of Hazardous Chemicals of Priority Management

None of the components are listed.

#### Catalogue of Occupational Disease Hazard Factors - Dust

Ingredient name	Status
barium sulfate	Listed
titanium dioxide	Listed

#### **Catalogue of Occupational Disease Hazard Factors - Chemical Factors**

Ingredient name	Status
barium sulfate	Listed

#### International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### **Montreal Protocol**

Not listed.

# Stockholm Convention on Persistent Organic Pollutants

Not listed.

# Section 15. Regulatory information

**Rotterdam Convention on Prior Informed Consent (PIC)** Not listed.

#### **UNECE Aarhus Protocol on POPs and Heavy Metals** Not listed.

## Section 16. Other information

<u>History</u>	
Date of printing	: 12.09.2023
Date of issue/Date of revision	: 12.09.2023
Date of previous issue	: No previous validation
Version	: 1
Key to abbreviations	<ul> <li>ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available SGG = Segregation Group UN = United Nations</li> </ul>

#### Procedure used to derive the classification

Classification	Justification
ACUTE TOXICITY (oral) - Category 4	Calculation method
SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1	Calculation method
SKIN SENSITISATION - Category 1	Calculation method
GERM CELL MUTAGENICITY - Category 1B	Calculation method
LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3	Calculation method

#### References

: Not available.

Indicates information that has changed from previously issued version.

#### Notice to reader

The information in this document is given to the best of Jotun's knowledge, based on laboratory testing and practical experience. Jotun's products are considered as semi-finished goods and as such, products are often used under conditions beyond Jotun's control. Jotun cannot guarantee anything but the quality of the product itself. Minor product variations may be implemented in order to comply with local requirements. Jotun reserves the right to change the given data without further notice.

Users should always consult Jotun for specific guidance on the general suitability of this product for their needs and specific application practices.

If there is any inconsistency between different language issues of this document, the English (United Kingdom) version will prevail.