# SAFETY DATA SHEET



# Marine Emulsion White

# Section 1. Identification GHS product identifier : Marine Emulsion White Other means of identification : Not available. Product code : 4480 Product description : Waterborne paint. Product type : Liquid. Identified uses of the substance or mixture and uses advised against Uses in Coatings - Industrial use

Uses in Coatings - Professional use

Manufacturing country	Jotun Thailand Limited 700/353 Amata Nakorn Industrial Estate (BIP 2) Moo 6, Tumbol Donhualoh, Amphur Muang Chonburi Chonburi 20000 Thailand
	Phone: + 66 2 022 9888 Fax: + 66 2 022 9888 , + 66 38 214 375
	SDSJotun@jotun.com
Emergency telephone number	: Jotun Thailand Limited Phone: + 66 2 022 9888 ext. 2100, 2400, 2404

# Section 2. Hazards identification

Classification of the substance or mixture

: Not classified.

GHS label elements

Hazard pictograms :	
Signal word :	No signal word.
Hazard statements :	No known significant effects or critical hazards.
Precautionary statements	
Prevention :	Not applicable.
Response :	Not applicable.
Storage :	Not applicable.
Disposal :	Not applicable.
Other hazards which do not : result in classification	None known.

# Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Other means of identification	: Not available.

CAS number/other identifiers	
CAS number	: Not applicable.
EC number	: Mixture.
Product code	: 4480

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First-aid measures

### Description of necessary first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	<ul> <li>Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.</li> </ul>
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

### Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	1	No known significant effects or critical hazards.
Ingestion	1	No known significant effects or critical hazards.
Over-exposure signs/sympton	<u>15</u>	
Eye contact	1	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medica	<u>l a</u>	ttention and special treatment needed, if necessary
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

- Specific treatments : No specific treatment.
- Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

### See toxicological information (Section 11)

## Section 5. Fire-fighting measures

Extinguishing media		
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.	
Unsuitable extinguishing media	: None known.	
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.	
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides	
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident there is a fire. No action shall be taken involving any personal risk or without suitable training.	f
Special protective equipment for fire-fighters	<ul> <li>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.</li> </ul>	

### Section 6. Accidental release measures

Personal precautions, protecti	ve equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and material for cont	ainment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

Precautions for safe handling : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

## Section 7. Handling and storage

Conditions for safe storage, including any incompatibilities

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

### Section 8. Exposure controls/personal protection

Control parameters		
Occupational exposure limits		
None.		
Recommended monitoring procedures	If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effective of the ventilation or other control measures and/or the necessity to use respira protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.	
Appropriate engineering controls	Good general ventilation should be sufficient to control worker exposure to airly contaminants.	borne
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to e they comply with the requirements of environmental protection legislation. In s cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.	
Individual protection measures		
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated cloc Wash contaminated clothing before reusing. Ensure that eyewash stations an safety showers are close to the workstation location.	othing.
Eye/face protection	Safety eyewear complying to EN 166 should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases of dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.	or ne
Skin protection		
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard s be worn at all times when handling chemical products if a risk assessment ind this is necessary.	
	There is no one glove material or combination of materials that will give unlimit resistance to any individual or combination of chemicals. The breakthrough time must be greater than the end use time of the product. The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed. Gloves should be replaced regularly and if there is any sign of damage to the g	
	material. Always ensure that gloves are free from defects and that they are stored and u correctly.	used
	The performance or effectiveness of the glove may be reduced by physical/cho damage and poor maintenance. Barrier creams may help to protect the exposed areas of the skin but should n applied once exposure has occurred.	
	Wear suitable gloves tested to EN374. Recommended, gloves(breakthrough time) > 8 hours: nitrile rubber, butyl rubb Viton®, 4H Not recommended, gloves(breakthrough time) < 1 hour: polyvinyl alcohol (PVA	
		ר)

# Section 8. Exposure controls/personal protection

•	
Body protection	<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Other skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Respiratory protection	: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
	If workers are exposed to concentrations above the exposure limit, they must use a respirator according to EN 140. Use respiratory mask with charcoal and dust filter when spraying this product, according to EN 14387(as filter combination A2-P2). In confined spaces, use compressed-air or fresh-air respiratory equipment. When use of roller or brush, consider use of charcoalfilter.

# Section 9. Physical and chemical properties

Physical state: Liquid.Colour: White.Odour: Characteristic.Odour threshold: Not available.pH: Not available.pH: 0Boiling point: Lowest known value: 100°C (212°F) (water). Weighted average: 104.13°C (219.4°F)Flash point: Lowest known value: 100°C (212°F) (water). Weighted average: 104.13°C (219.4°F)Flash point: Not available.Burning time: Not available.Burning time: Not applicable.Burning rate: 0.36 (water) compared with butyl acetateFlammability (solid, gas): Not applicable.Lower and upper explosive: 0.6 - 4.2%(flammabile) limits: Highest known value: 3.2 kPa (23.8 mm Hg) (at 20°C) (water). Weighted average: 3.12 kPa (23.4 mm Hg) (at 20°C)Vapour density: 1.528 g/cm³Solubility: Easily soluble in the following materials: cold water and hot water.Partition coefficient: n-octanul/ water: Not available.Auto-ignition temperature: Not available.Decomposition temperature: Not available.SADT: Not available.Viscosity: Kinematic (40°C): >0.225 cm²/s (>22.5 mm²/s)	<u>Appearance</u>		
Oddur: Characteristic.Oddur threshold: Not available.pH: Not available.Melting point: 0Boiling point: Lowest known value: 100°C (212°F) (water). Weighted average: 104.13°C (219.4°F)Flash point: Not available.Burning time: Not applicable.Burning rate: Not applicable.Evaporation rate: 0.36 (water) compared with butyl acetateFlammability (solid, gas): Not applicable.Evaporation rate: 0.36 (water) compared with butyl acetateFlammability (solid, gas): Not applicable.Lower and upper explosive (flammable) limits: 0.6 - 4.2%Vapour pressure: Highest known value: 3.2 kPa (23.8 mm Hg) (at 20°C) (water). Weighted average: 3.12 kPa (23.4 mm Hg) (at 20°C)Vapour density: Highest known value: 7.5 (Air = 1) (propanoic acid, 2-methyl-, monoester with 2.2, 4-trimethyl-1,3-pentanediol).Relative density: 1.528 g/cm³Solubility: Easily soluble in the following materials: cold water and hot water.Partition coefficient: n-octanul/ water: Not available.Auto-ignition temperature uer: Not available.Decomposition temperature SADT: Not available.	Physical state	Liquic	1.
Odour threshold:Not available.pH:Not available.Melting point:0Boiling point:Lowest known value: 100°C (212°F) (water). Weighted average: 104.13°C (219.4°F)Flash point:Not available.Burning time:Not available.Burning rate:Not applicable.Evaporation rate:0.36 (water) compared with butyl acetateFlammability (solid, gas):Not applicable.Lower and upper explosive (flammable) limits:0.6 - 4.2%Vapour pressure:Highest known value: 3.2 kPa (23.8 mm Hg) (at 20°C) (water). Weighted average: 3.12 kPa (23.4 mm Hg) (at 20°C)Vapour density:Highest known value: 7.5 (Air = 1) (propanoic acid, 2-methyl-, monoester with 2,2, 4-trimethyl-1,3-pentanediol).Relative density:1.528 g/cm³Solubility:Easily soluble in the following materials: cold water and hot water.Partition coefficient: n-octanol/ water:Not available.Auto-ignition temperature Decomposition temperature:Not available.SADT:Not available.	Colour	White	2.
pH:Not available.Melting point:0Boiling point:Lowest known value: 100°C (212°F) (water). Weighted average: 104.13°C (219.4°F)Flash point:Not available.Burning time:Not applicable.Burning rate:Not applicable.Evaporation rate:0.36 (water) compared with butyl acetateFlammability (solid, gas):Not applicable.Lower and upper explosive:0.6 - 4.2%(flammable) limits::Vapour pressure:Highest known value: 3.2 kPa (23.8 mm Hg) (at 20°C) (water). Weighted average: 3.12 kPa (23.4 mm Hg) (at 20°C)Vapour density:Highest known value: 7.5 (Air = 1) (propanoic acid, 2-methyl-, monoester with 2,2, 4-trimethyl-1,3-pentanediol).Relative density:1.528 g/cm³Solubility:Easily soluble in the following materials: cold water and hot water.Partition coefficient: n-octanol/ water:Not available.Auto-ignition temperature:Not available.Decomposition temperature:Not available.SADT:Not available.	Odour	Chara	acteristic.
Melting point:0Boiling point:Lowest known value: 100°C (212°F) (water). Weighted average: 104.13°C (219.4°F)Flash point:Not available.Burning time:Not applicable.Burning rate:Not applicable.Evaporation rate:0.36 (water) compared with butyl acetateFlammability (solid, gas):Not applicable.Lower and upper explosive (flammable) limits:0.6 - 4.2%Vapour pressure:Highest known value: 3.2 kPa (23.8 mm Hg) (at 20°C) (water). Weighted average: 3.12 kPa (23.4 mm Hg) (at 20°C)Vapour density:1.528 g/cm³Solubility:1.528 g/cm³Solubility:Easily soluble in the following materials: cold water and hot water.Partition coefficient: n-octanol/ water:Not available.Auto-ignition temperature SADT:Not available.	Odour threshold	Not a	vailable.
Boiling point: Lowest known value: 100°C (212°F) (water). Weighted average: 104.13°C (219.4°F)Flash point: Not available.Burning time: Not applicable.Burning rate: Not applicable.Evaporation rate: 0.36 (water) compared with butyl acetateFlammability (solid, gas): Not applicable.Lower and upper explosive (flammable) limits: 0.6 - 4.2%Vapour pressure: Highest known value: 3.2 kPa (23.8 mm Hg) (at 20°C) (water). Weighted average: 3.12 kPa (23.4 mm Hg) (at 20°C)Vapour density: Highest known value: 7.5 (Air = 1) (propanoic acid, 2-methyl-, monoester with 2,2, 4-trimethyl-1,3-pentanediol).Relative density: 1.528 g/cm³Solubility: Easily soluble in the following materials: cold water and hot water.Partition coefficient: n-octanol/ water: Not applicable.Auto-ignition temperature: Not applicable.Decomposition temperature: Not available.SADT: Not available.	рН	Not a	vailable.
Flash point: Not available.Burning time: Not applicable.Burning rate: Not applicable.Evaporation rate: 0.36 (water) compared with butyl acetateFlammability (solid, gas): Not applicable.Lower and upper explosive: 0.6 - 4.2%(flammable) limits: Highest known value: 3.2 kPa (23.8 mm Hg) (at 20°C) (water). Weighted average: 3.12 kPa (23.4 mm Hg) (at 20°C)Vapour pressure: Highest known value: 7.5 (Air = 1) (propanoic acid, 2-methyl-, monoester with 2,2, 4-trimethyl-1,3-pentanediol).Relative density: 1.528 g/cm³Solubility: Easily soluble in the following materials: cold water and hot water.Partition coefficient: n-octanol/ water: Not applicable.Auto-ignition temperature: Not applicable.Decomposition temperature: Not available.SADT: Not available.	Melting point	0	
Burning time:Not applicable.Burning rate:Not applicable.Evaporation rate:0.36 (water) compared with butyl acetateFlammability (solid, gas):Not applicable.Lower and upper explosive (flammable) limits:0.6 - 4.2%Vapour pressure:Highest known value: 3.2 kPa (23.8 mm Hg) (at 20°C) (water). Weighted average: 3.12 kPa (23.4 mm Hg) (at 20°C)Vapour density:Highest known value: 7.5 (Air = 1) (propanoic acid, 2-methyl-, monoester with 2,2, 4-trimethyl-1,3-pentanediol).Relative density:1.528 g/cm³Solubility:Easily soluble in the following materials: cold water and hot water.Partition coefficient: n-octanol/ water:Not applicable.Auto-ignition temperature:Not applicable.Decomposition temperature:Not available.SADT:Not available.	Boiling point	Lowe	st known value: 100°C (212°F) (water). Weighted average: 104.13°C (219.4°F)
Burning rate: Not applicable.Evaporation rate: 0.36 (water) compared with butyl acetateFlammability (solid, gas): Not applicable.Lower and upper explosive (flammable) limits: 0.6 - 4.2%Vapour pressure: Highest known value: 3.2 kPa (23.8 mm Hg) (at 20°C) (water). Weighted average: 3.12 kPa (23.4 mm Hg) (at 20°C)Vapour density: Highest known value: 7.5 (Air = 1) (propanoic acid, 2-methyl-, monoester with 2,2, 4-trimethyl-1,3-pentanediol).Relative density: 1.528 g/cm³Solubility: Easily soluble in the following materials: cold water and hot water.Partition coefficient: n-octanol/ water: Not available.Auto-ignition temperature: Not applicable.Decomposition temperature: Not available.SADT: Not available.	Flash point	Not a	vailable.
Evaporation rate: 0.36 (water) compared with butyl acetateFlammability (solid, gas): Not applicable.Lower and upper explosive (flammable) limits: 0.6 - 4.2%Vapour pressure: Highest known value: 3.2 kPa (23.8 mm Hg) (at 20°C) (water). Weighted average: 3.12 kPa (23.4 mm Hg) (at 20°C)Vapour density: Highest known value: 7.5 (Air = 1) (propanoic acid, 2-methyl-, monoester with 2,2, 4-trimethyl-1,3-pentanediol).Relative density: 1.528 g/cm³Solubility: Easily soluble in the following materials: cold water and hot water.Partition coefficient: n-octanol/ water: Not available.Auto-ignition temperature SADT: Not available.SADT: Not available.	Burning time	Not a	pplicable.
Flammability (solid, gas): Not applicable.Lower and upper explosive (flammable) limits: 0.6 - 4.2%Vapour pressure: Highest known value: 3.2 kPa (23.8 mm Hg) (at 20°C) (water). Weighted average: 3.12 kPa (23.4 mm Hg) (at 20°C)Vapour density: Highest known value: 7.5 (Air = 1) (propanoic acid, 2-methyl-, monoester with 2,2, 4-trimethyl-1,3-pentanediol).Relative density: 1.528 g/cm³Solubility: Easily soluble in the following materials: cold water and hot water.Partition coefficient: n-octanol/ water: Not available.Auto-ignition temperature: Not applicable.Decomposition temperature: Not available.SADT: Not available.	Burning rate	Not a	pplicable.
Lower and upper explosive (flammable) limits: 0.6 - 4.2%Vapour pressure: Highest known value: 3.2 kPa (23.8 mm Hg) (at 20°C) (water). Weighted average: 3.12 kPa (23.4 mm Hg) (at 20°C)Vapour density: Highest known value: 7.5 (Air = 1) (propanoic acid, 2-methyl-, monoester with 2,2, 4-trimethyl-1,3-pentanediol).Relative density: 1.528 g/cm³Solubility: Easily soluble in the following materials: cold water and hot water.Partition coefficient: n-octanol/ water: Not available.Auto-ignition temperature: Not applicable.Decomposition temperature: Not available.SADT: Not available.	Evaporation rate	0.36 (	(water) compared with butyl acetate
(flammable) limitsVapour pressure: Highest known value: 3.2 kPa (23.8 mm Hg) (at 20°C) (water). Weighted average: 3.12 kPa (23.4 mm Hg) (at 20°C)Vapour density: Highest known value: 7.5 (Air = 1) (propanoic acid, 2-methyl-, monoester with 2,2, 4-trimethyl-1,3-pentanediol).Relative density: 1.528 g/cm³Solubility: Easily soluble in the following materials: cold water and hot water.Partition coefficient: n-octanol/ water: Not available.Auto-ignition temperature: Not applicable.Decomposition temperature: Not available.SADT: Not available.	Flammability (solid, gas)	Not a	pplicable.
3.12 kPa (23.4 mm Hg) (at 20°C)Vapour density: Highest known value: 7.5 (Air = 1) (propanoic acid, 2-methyl-, monoester with 2,2, 4-trimethyl-1,3-pentanediol).Relative density: 1.528 g/cm³Solubility: Easily soluble in the following materials: cold water and hot water.Partition coefficient: n-octanol/ waterAuto-ignition temperature: Not available.Decomposition temperature: Not available.SADT: Not available.		0.6 - 4	4.2%
A-trimethyl-1,3-pentanediol).Relative density: 1.528 g/cm³Solubility: Easily soluble in the following materials: cold water and hot water.Partition coefficient: n-octanol/ water: Not available.Auto-ignition temperature: Not applicable.Decomposition temperature: Not available.SADT: Not available.	Vapour pressure		
Solubility: Easily soluble in the following materials: cold water and hot water.Partition coefficient: n-octanol/ water: Not available.Auto-ignition temperature: Not applicable.Decomposition temperature: Not available.SADT: Not available.	Vapour density		
Partition coefficient: n-octanol/ water: Not available.Auto-ignition temperature: Not applicable.Decomposition temperature: Not available.SADT: Not available.	Relative density	1.528	g/cm³
waterAuto-ignition temperature: Not applicable.Decomposition temperature: Not available.SADT: Not available.	Solubility	Easily	soluble in the following materials: cold water and hot water.
Decomposition temperature: Not available.SADT: Not available.		Not a	vailable.
SADT : Not available.	Auto-ignition temperature	Not a	pplicable.
	Decomposition temperature	Not a	vailable.
Viscosity : Kinematic (40°C): >0.225 cm <sup>2</sup> /s (>22.5 mm <sup>2</sup> /s)	SADT	Not a	vailable.
	Viscosity	Kiner	natic (40°C): >0.225 cm²/s (>22.5 mm²/s)

# Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.

Date of issue	: 11.05.2016	5/9
---------------	--------------	-----

Marine Emulsion White	
Section 10. Stabili	ty and reactivity
Incompatible materials	: Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	ological information
Information on toxicological e	<u>effects</u>
Acute toxicity Not available.	
Irritation/Corrosion	
Not available.	
Sensitisation	
Not available.	
Mutagenicity	
Not available.	
Carcinogenicity	
Not available.	
Reproductive toxicity	
Not available.	
Teratogenicity	
Not available.	
Specific target organ toxicity	<u>y (single exposure)</u>
Not available.	
Specific target organ toxicity	<u>y (repeated exposure)</u>
Not available.	
Aspiration hazard	
Not available.	
Information on the Planks	
Information on the likely routes of exposure	: Not available.
Potential acute health effects	
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

Inhalation	: No specific data.
Ingestion	: No specific data.
Skin contact	: No specific data.
Eye contact	: No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure				
Short term exposure				
Potential immediate effects	: Not available.			
Potential delayed effects : Not available.				
Long term exposure				

Date of issue	: 11.05.2016

Г

# Section 11. Toxicological information

Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effect	<u>s</u>	
Not available.		
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

### Numerical measures of toxicity Acute toxicity estimates

Not available.

# Section 12. Ecological information

### **Toxicity**

Not available.

### Persistence and degradability

Not available.

# Bioaccumulative potential Not available.

Mobility in soil Soil/water partition coefficient (Koc)	: Not available.
Other adverse effects	: No known significant effects or critical hazards.

# Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non- recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and
	retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

### Section 14. Transport information

	UN	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.
Special precautions for user	<b>Transport within user's</b> <b>premises:</b> always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.	<b>Transport within user's</b> <b>premises:</b> always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.	<b>Transport within user's</b> <b>premises:</b> always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
Additional information	-	-	-

Transport in bulk according to : Not available. Annex II of MARPOL 73/78 and the IBC Code ADR / RID

### Section 15. Regulatory information

### Hazardous Substance Act B.E. 2535 (1992)

### <u>Type</u>

Ingredient name T caustic soda; Sodium hydroxide (Na(OH)); 1 Sodium hydrate; Soda lye; Lye; sodium hydroxide, solid; sodium hydroxide, in aqueous solution; caustic soda, solid; caustic soda, in aqueous solution

### <u>Type</u>

Authority Department of Fisheries

### Conditions

In products used for fisheries and aquatic animal farming for the purpose of controlling, preventing, and destroying microorganisms, parasites, plants or other animals

8/9

No known specific national and/or regional regulations applicable to this product (including its ingredients).

### Section 16. Other information

Date of printing: 11.05.2016Date of issue/Date of revision: 11.05.2016Date of previous issue: 29.09.2015Version: 1.08	<u>History</u>			
Date of previous issue : 29.09.2015	Date of	printing	:	11.05.2016
	Date of	issue/Date of revision	:	11.05.2016
Version : 1.08	Date of	previous issue	:	29.09.2015
	Version		:	1.08

### Section 16. Other information

Key to abbreviations	: ADN = European Provisions concerning the International Carriage of Dangerous
	Goods by Inland Waterway
	ADR = The European Agreement concerning the International Carriage of
	Dangerous Goods by Road
	ATE = Acute Toxicity Estimate
	BCF = Bioconcentration Factor
	GHS = Globally Harmonized System of Classification and Labelling of Chemicals
	IATA = International Air Transport Association
	IBC = Intermediate Bulk Container
	IMDG = International Maritime Dangerous Goods
	MARPOL 73/78 = International Convention for the Prevention of Pollution From
	Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
	RID = The Regulations concerning the International Carriage of Dangerous Goods
	by Rail
	UN = United Nations
	LogPow = logarithm of the octanol/water partition coefficient
References	: Not available.

Indicates information that has changed from previously issued version.

### Notice to reader

The information in this document is given to the best of Jotun's knowledge, based on laboratory testing and practical experience. Jotun's products are considered as semi-finished goods and as such, products are often used under conditions beyond Jotun's control. Jotun cannot guarantee anything but the quality of the product itself. Minor product variations may be implemented in order to comply with local requirements. Jotun reserves the right to change the given data without further notice.

Users should always consult Jotun for specific guidance on the general suitability of this product for their needs and specific application practices.

If there is any inconsistency between different language issues of this document, the English (United Kingdom) version will prevail.