

# SAFETY DATA SHEET



## DRYGOLIN Optimal

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

|                                      |                     |
|--------------------------------------|---------------------|
| <b>Product name</b>                  | : DRYGOLIN Optimal  |
| <b>Product code</b>                  | : 52562             |
| <b>Product description</b>           | : Waterborne paint. |
| <b>Product type</b>                  | : Liquid.           |
| <b>Other means of identification</b> | : Not available.    |

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use in coatings - Consumer use: Apply this product only as specified on the label.

#### 1.3 Details of the supplier of the safety data sheet

Jotun A/S  
P.O.Box 2021  
3202 Sandefjord  
Norway

Tel: + 47 33 45 70 00  
Fax: +47 33 45 72 42  
E-mail: SDSJotun@jotun.no

#### 1.4 Emergency telephone number

Norwegian National Poison Centre: +47 22 59 13 00

**NOBB number** : 60138165, 60138166, 60138167, 60138168, 60138169, 60138170, 60138171, 60138172

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Product definition** : Mixture

**Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]**

Aquatic Chronic 3, H412

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

#### 2.2 Label elements

**Signal word** : No signal word.

**Hazard statements** : H412 - Harmful to aquatic life with long lasting effects.

#### Precautionary statements

**General** : P102 - Keep out of reach of children.

**Prevention** : P273 - Avoid release to the environment.

**Response** : Not applicable.

**Storage** : Not applicable.

DRYGOLIN Optimal

**SECTION 2: Hazards identification**

- Disposal** : P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
- Supplemental label elements** : EUH208 - Contains 3-iodo-2-propynyl butylcarbamate (IPBC), 1,2-benzisothiazol-3(2H)-one (BIT) and C(M)IT/MIT (3:1). May produce an allergic reaction.  
EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
- Additional information** : Contains film preservative: IPBC  
Contains preservatives: C(M)IT/MIT (3:1)
- Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles** : Not applicable.
- Special packaging requirements**
- Containers to be fitted with child-resistant fastenings** : Not applicable.
- Tactile warning of danger** : Not applicable.

**2.3 Other hazards**

- Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII** : This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
- Other hazards which do not result in classification** : None known.

**SECTION 3: Composition/information on ingredients****3.2 Mixtures** : Mixture

| Product/ingredient name                 | Identifiers  | %      | Classification  | Specific Conc. Limits, M-factors and ATEs  | Type |
|---|--|--------|---|--|------|
| propylene glycol                        | REACH #:<br>01-2119456809-23<br>EC: 200-338-0<br>CAS: 57-55-6                          | ≤3     | Not classified.   | -  | [2]  |
| 3-iodo-2-propynyl butylcarbamate (IPBC) | CAS: 55406-53-6<br>Index: 616-212-00-7   | <1     | Acute Tox. 4, H302<br>Acute Tox. 3, H331<br>Eye Dam. 1, H318<br>Skin Sens. 1, H317<br>STOT RE 1, H372 (trachea)<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410 | ATE [Oral] = 500 mg/kg<br>ATE [Inhalation (dusts and mists)] = 0.5 mg/l<br>M [Acute] = 10<br>M [Chronic] = 1 | [1]  |
| 1,2-benzisothiazol-3(2h)-one (BIT)      | REACH #:<br>01-2120761540-60<br>EC: 220-120-9<br>CAS: 2634-33-5<br>Index: 613-088-00-6 | <0.05  | Acute Tox. 4, H302<br>Skin Irrit. 2, H315<br>Eye Dam. 1, H318<br>Skin Sens. 1, H317<br>Aquatic Acute 1, H400  | ATE [Oral] = 500 mg/kg<br>Skin Sens. 1, H317:<br>C ≥ 0.05%<br>M [Acute] = 1                                  | [1]  |
| pyridine-2-thiol 1-oxide, sodium salt   | REACH #:<br>01-2119493385-28<br>EC: 223-296-5<br>CAS: 3811-73-2                        | ≤0.032 | Acute Tox. 4, H302<br>Acute Tox. 3, H311<br>Acute Tox. 3, H331<br>Skin Irrit. 2, H315   | ATE [Oral] = 500 mg/kg<br>ATE [Dermal] = 790 mg/kg   | [1]  |

DRYGOLIN Optimal

### SECTION 3: Composition/information on ingredients

|                  |  |         |  |   |  |
|------------------|--|---------|--|---|--|
| C(M)IT/MIT (3:1) | REACH #:<br>01-2120764691-48<br>CAS: 55965-84-9<br>Index: 613-167-00-5 | <0.0015 | <p>Eye Irrit. 2, H319<br/>Skin Sens. 1, H317<br/>STOT RE 1, H372<br/>Aquatic Acute 1, H400<br/>Aquatic Chronic 2, H411<br/>EUH070</p> <p>Acute Tox. 3, H301<br/>Acute Tox. 2, H310<br/>Acute Tox. 2, H330<br/>Skin Corr. 1B, H314<br/>Eye Dam. 1, H318<br/>Skin Sens. 1A, H317<br/>Aquatic Acute 1, H400<br/>Aquatic Chronic 1, H410<br/>EUH071</p> <p><b>See Section 16 for the full text of the H statements declared above.</b></p> | <p>ATE [Inhalation (dusts and mists)] = 0.5 mg/l<br/>M [Acute] = 100</p> <p>ATE [Oral] = 53 mg/kg [1]<br/>ATE [Dermal] = 50 mg/kg<br/>ATE [Inhalation (vapours)] = 0.5 mg/l<br/>Skin Corr. 1B, H314: C ≥ 0.6%<br/>Skin Irrit. 2, H315: 0.06% ≤ C &lt; 0.6%<br/>Eye Dam. 1, H318: C ≥ 0.6%<br/>Eye Irrit. 2, H319: 0.06% ≤ C &lt; 0.6%<br/>Skin Sens. 1, H317: C ≥ 0.0015%<br/>M [Acute] = 100<br/>M [Chronic] = 100</p> |  |
|------------------|--|---------|--|---|--|

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

This mixture contains ≥ 1% of titanium dioxide. The Annex VI classification of titanium dioxide does not apply to this mixture according to Note 10.

Occupational exposure limits, if available, are listed in Section 8.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General** : In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical advice.
- Eye contact** : Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.
- Inhalation** : Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
- Skin contact** : Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.
- Ingestion** : If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

#### 4.2 Most important symptoms and effects, both acute and delayed

DRYGOLIN Optimal

## SECTION 4: First aid measures

### Over-exposure signs/symptoms

- Eye contact** : No specific data.
- Inhalation** : No specific data.
- Skin contact** : No specific data.
- Ingestion** : No specific data.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.

See toxicological information (Section 11)

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media** : Recommended: alcohol-resistant foam, CO<sub>2</sub>, powders, water spray.
- Unsuitable extinguishing media** : Do not use water jet.

### 5.2 Special hazards arising from the substance or mixture

- Hazards from the substance or mixture** : Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard.
- Hazardous combustion products** : Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.

### 5.3 Advice for firefighters

- Special protective actions for fire-fighters** : Cool closed containers exposed to fire with water. Do not release runoff from fire to drains or watercourses.
- Special protective equipment for fire-fighters** : Appropriate breathing apparatus may be required.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : Avoid breathing vapour or mist. Refer to protective measures listed in sections 7 and 8.
- For emergency responders** : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

### 6.2 Environmental precautions

- : Do not allow to enter drains or watercourses. If the product contaminates lakes, rivers, or sewers, inform the appropriate authorities in accordance with local regulations.

### 6.3 Methods and material for containment and cleaning up

- : Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Preferably clean with a detergent. Avoid using solvents.

DRYGOLIN Optimal

## SECTION 6: Accidental release measures

**6.4 Reference to other sections** : See Section 1 for emergency contact information.  
See Section 8 for information on appropriate personal protective equipment.  
See Section 13 for additional waste treatment information.

## SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour, spray or mist.  
Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.  
Put on appropriate personal protective equipment (see Section 8).  
Never use pressure to empty. Container is not a pressure vessel.  
Always keep in containers made from the same material as the original one.  
Comply with the health and safety at work laws.  
Do not allow to enter drains or watercourses.

When operators, whether spraying or not, have to work inside the spray booth, ventilation is unlikely to be sufficient to control particulates and solvent vapour in all cases. In such circumstances they should wear a compressed air-fed respirator during the spraying process and until such time as the particulates and solvent vapour concentration has fallen below the exposure limits.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations.

#### Notes on joint storage

Keep away from: oxidising agents, strong alkalis, strong acids.

#### Additional information on storage conditions

Store in a dry, cool and well-ventilated area. Keep container tightly closed.

No smoking. Prevent unauthorised access. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

See Technical Data Sheet / packaging for further information.

### 7.3 Specific end use(s)

**Recommendations** : Not available.

**Industrial sector specific solutions** : Not available.

## SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

### 8.1 Control parameters

#### Occupational exposure limits

| Product/ingredient name | Exposure limit values   |
|-------------------------|---|
| propylene glycol        | <b>FOR-2011-12-06-1358 (Norway, 12/2022).</b><br>TWA: 79 mg/m <sup>3</sup> 8 hours.<br>TWA: 25 ppm 8 hours. |

**Recommended monitoring procedures** : Reference should be made to monitoring standards, such as the following:  
European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DRYGOLIN Optimal

**SECTION 8: Exposure controls/personal protection****DNELs/DMELs**

| Product/ingredient name                 | Type | Exposure              | Value                   | Population         | Effects  |
|---|------|-----------------------|-------------------------|--------------------|----------|
| 3-iodo-2-propynyl butylcarbamate (IPBC) | DNEL | Long term Inhalation  | 0.023 mg/m <sup>3</sup> | Workers            | Systemic |
|   | DNEL | Short term Inhalation | 0.07 mg/m <sup>3</sup>  | Workers            | Systemic |
|   | DNEL | Short term Inhalation | 1.16 mg/m <sup>3</sup>  | Workers            | Local    |
|   | DNEL | Long term Inhalation  | 1.16 mg/m <sup>3</sup>  | Workers            | Local    |
|   | DNEL | Long term Dermal      | 2 mg/kg bw/day          | Workers            | Systemic |
| 1,2-benzisothiazol-3(2h)-one (BIT)      | DNEL | Long term Dermal      | 0.345 mg/kg bw/day      | General population | Systemic |
|   | DNEL | Long term Dermal      | 0.966 mg/kg bw/day      | Workers            | Systemic |
|   | DNEL | Long term Inhalation  | 1.2 mg/m <sup>3</sup>   | General population | Systemic |
| C(M)IT/MIT (3:1)                        | DNEL | Long term Inhalation  | 6.81 mg/m <sup>3</sup>  | Workers            | Systemic |
|   | DNEL | Long term Inhalation  | 0.02 mg/m <sup>3</sup>  | General population | Local    |
|   | DNEL | Long term Inhalation  | 0.02 mg/m <sup>3</sup>  | Workers            | Local    |
|   | DNEL | Short term Inhalation | 0.04 mg/m <sup>3</sup>  | General population | Local    |
|   | DNEL | Short term Inhalation | 0.04 mg/m <sup>3</sup>  | Workers            | Local    |
|   | DNEL | Long term Oral        | 0.09 mg/kg bw/day       | General population | Systemic |
|   | DNEL | Short term Oral       | 0.11 mg/kg bw/day       | General population | Systemic |

**PNECs**

No PNECs available

**8.2 Exposure controls**

**Appropriate engineering controls** : Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction.

**Individual protection measures**

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** : Safety eyewear complying to ISO 16321-1:2022 should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

**Skin protection****Hand protection**

*DRYGOLIN Optimal*

## SECTION 8: Exposure controls/personal protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals.

The breakthrough time must be greater than the end use time of the product.

The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.

Gloves should be replaced regularly and if there is any sign of damage to the glove material.

Always ensure that gloves are free from defects and that they are stored and used correctly.

The performance or effectiveness of the glove may be reduced by physical/chemical damage and poor maintenance.

Barrier creams may help to protect the exposed areas of the skin but should not be applied once exposure has occurred.

### Gloves

Wear suitable gloves tested to ISO 374-1:2016.

Recommended, gloves(breakthrough time) > 8 hours: nitrile rubber (> 0.75 mm), neoprene (> 0.35 mm), PVC (> 0.5 mm)

May be used, gloves(breakthrough time) 4 - 8 hours: polyvinyl alcohol (PVA) (> 0.3 mm), 4H/Silver Shield® (> 0.07 mm)

For right choice of glove materials, with focus on chemical resistance and time of penetration, seek advice by the supplier of chemical resistant gloves.

The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment.

**Body protection** : Not applicable.

**Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** : If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits. By spraying : particulate filter (FFP2 / N95). In confined spaces, use compressed-air or fresh-air respiratory equipment.

**Environmental exposure controls** : Do not allow to enter drains or watercourses.

## SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

### 9.1 Information on basic physical and chemical properties

#### Appearance

|  |   |
|--|---|
| <b>Physical state</b>                          | : Liquid.   |
| <b>Colour</b>                                  | : White., A-base, B-base, C-base, Red, Ochre-base, Yellow-base                    |
| <b>Odour</b>                                   | : Characteristic.   |
| <b>Odour threshold</b>                         | : Not applicable.   |
| <b>Melting point/freezing point</b>            | : 0   |
| <b>Initial boiling point and boiling range</b> | : Lowest known value: 100°C (212°F) (water). Weighted average: 107.61°C (225.7°F) |
| <b>Flammability</b>                            | : Not applicable.   |
| <b>Lower and upper explosion limit</b>         | : 0.6 - 12.6%   |
| <b>Flash point</b>                             | : Not applicable.   |
| <b>Auto-ignition temperature</b>               | : Not applicable.   |
| <b>Decomposition temperature</b>               | : Not available.  |
| <b>pH</b>                                      | : 8.6   |
| <b>Viscosity</b>                               | : Kinematic (40°C): >20.5 mm <sup>2</sup> /s                                      |

DRYGOLIN Optimal

**SECTION 9: Physical and chemical properties**

|  |   |                |
|--|---|----------------|
| <b>Solubility in water</b>                     | : cold water  | Easily soluble |
|  | : hot water   | Easily soluble |
| <b>Partition coefficient: n-octanol/ water</b> | : Not available.  |                |
| <b>Vapour pressure</b>                         | : Highest known value: 2.3 kPa (17.5 mm Hg) (at 20°C) (water). Weighted average: 2.16 kPa (16.2 mm Hg) (at 20°C)                                  |                |
| <b>Evaporation rate</b>                        | : Highest known value: 0.36 (water) Weighted average: 0.35 compared with butyl acetate  |                |
| <b>Density</b>                                 | : 1.14 to 1.25 g/cm <sup>3</sup>  |                |
| <b>Vapour density</b>                          | : Highest known value: 7.5 (Air = 1) (propanoic acid, 2-methyl-, monoester with 2,2,4-trimethyl-1,3-pentanediol). Weighted average: 5.2 (Air = 1) |                |
| <b>Explosive properties</b>                    | : Not available.  |                |
| <b>Oxidising properties</b>                    | : Not available.  |                |
| <b>Particle characteristics</b>                |   |                |
| <b>Median particle size</b>                    | : Not applicable.   |                |

**9.2 Other information**

No additional information.

**SECTION 10: Stability and reactivity**

|  |  |
|--|--|
| <b>10.1 Reactivity</b>                         | : No specific test data related to reactivity available for this product or its ingredients.                                     |
| <b>10.2 Chemical stability</b>                 | : Stable under recommended storage and handling conditions (see Section 7).  |
| <b>10.3 Possibility of hazardous reactions</b> | : Under normal conditions of storage and use, hazardous reactions will not occur.  |
| <b>10.4 Conditions to avoid</b>                | : When exposed to high temperatures may produce hazardous decomposition products.  |
| <b>10.5 Incompatible materials</b>             | : Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids. |
| <b>10.6 Hazardous decomposition products</b>   | : Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.        |

**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity**

| Product/ingredient name                 | Result                          | Species | Dose       | Exposure |
|---|---------------------------------|---------|------------|----------|
| 3-iodo-2-propynyl butylcarbamate (IPBC) | LD50 Oral                       | Rat     | 1470 mg/kg | -        |
| 1,2-benzisothiazol-3(2h)-one (BIT)      | LC50 Inhalation Dusts and mists | Rat     | 40 mg/l    | 4 hours  |
| C(M)IT/MIT (3:1)                        | LD50 Oral                       | Rat     | 485 mg/kg  | -        |
|   | LD50 Oral                       | Rat     | 53 mg/kg   | -        |

**Acute toxicity estimates**

| Product/ingredient name                 | Oral (mg/kg) | Dermal (mg/kg) | Inhalation (gases) (ppm) | Inhalation (vapours) (mg/l) | Inhalation (dusts and mists) (mg/l) |
|---|--------------|----------------|--------------------------|-----------------------------|-------------------------------------|
| DRYGOLIN Optimal                        | N/A          | N/A            | N/A                      | N/A                         | 119.0                               |
| 3-iodo-2-propynyl butylcarbamate (IPBC) | 500          | N/A            | N/A                      | N/A                         | 0.5                                 |
| 1,2-benzisothiazol-3(2h)-one (BIT)      | 500          | N/A            | N/A                      | N/A                         | N/A                                 |
| pyridine-2-thiol 1-oxide, sodium salt   | 500          | 790            | N/A                      | N/A                         | 0.5                                 |
| C(M)IT/MIT (3:1)                        | 53           | 50             | N/A                      | 0.5                         | N/A                                 |

**Irritation/Corrosion**



DRYGOLIN Optimal

## SECTION 11: Toxicological information

| Product/ingredient name                 | Result               | Species                      | Score | Exposure | Observation |
|---|----------------------|------------------------------|-------|----------|-------------|
| 3-iodo-2-propynyl butylcarbamate (IPBC) | Eyes - Irritant      | Mammal - species unspecified | -     | -        | -           |
| 1,2-benzisothiazol-3(2h)-one (BIT)      | Eyes - Irritant      | Mammal - species unspecified | -     | -        | -           |
|   | Skin - Mild irritant | Mammal - species unspecified | -     | -        | -           |

### Sensitisation

| Product/ingredient name                 | Route of exposure | Species                      | Result      |
|---|-------------------|------------------------------|-------------|
| 3-iodo-2-propynyl butylcarbamate (IPBC) | skin              | Mammal - species unspecified | Sensitising |
| 1,2-benzisothiazol-3(2h)-one (BIT)      | skin              | Mouse                        | Sensitising |
| C(M)IT/MIT (3:1)                        | skin              | Mammal - species unspecified | Sensitising |

### Mutagenicity

No known significant effects or critical hazards.

### Carcinogenicity

No known significant effects or critical hazards.

### Reproductive toxicity

**Developmental effects** : No known significant effects or critical hazards.

**Fertility effects** : No known significant effects or critical hazards.

### Teratogenicity

No known significant effects or critical hazards.

### Specific target organ toxicity (single exposure)

Based on available data, the classification criteria are not met.

### Specific target organ toxicity (repeated exposure)

| Product/ingredient name                 | Category   | Route of exposure | Target organs |
|---|------------|-------------------|---------------|
| 3-iodo-2-propynyl butylcarbamate (IPBC) | Category 1 | -                 | trachea       |
| pyridine-2-thiol 1-oxide, sodium salt   | Category 1 | -                 | -             |

### Aspiration hazard

Based on available data, the classification criteria are not met.

## 11.2 Information on other hazards

### 11.2.1 Endocrine disrupting properties

Not available.

### 11.2.2 Other information

Not available.

DRYGOLIN Optimal

**SECTION 12: Ecological information****12.1 Toxicity**

There are no data available on the mixture itself.  
Do not allow to enter drains or watercourses.

The mixture has been assessed following the summation method of the CLP Regulation (EC) No 1272/2008 and is classified for eco-toxicological properties accordingly. See Sections 2 and 3 for details.

| Product/ingredient name                 | Result                          | Species  | Exposure |
|---|---------------------------------|--|----------|
| 3-iodo-2-propynyl butylcarbamate (IPBC) | Acute EC50 0.022 mg/l           | Algae - Scenedesmus subspicatus  | 72 hours |
|   | Acute EC50 0.16 mg/l            | Crustaceans - Daphnia magna  | 48 hours |
|   | Acute LC50 0.067 mg/l           | Fish - Oncorhynchus mykiss   | 96 hours |
|   | Chronic NOEC 70 ppb Fresh water | Fish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling) | 96 hours |
|   |                                 |  |          |
| 1,2-benzisothiazol-3(2h)-one (BIT)      | Acute EC50 0.15 mg/l            | Algae - Slenastrum capricornutum                                       | 72 hours |
|   | Acute EC50 1.05 mg/l            | Crustaceans - Daphnia magna  | 96 hours |
| C(M)IT/MIT (3:1)                        | Acute LC50 1.4 mg/l             | Fish - Onchorhynchus mykiss  | 96 hours |
|   | Acute EC50 0.048 mg/l           | Algae - Pseudokirchneriella subcapitata                                | 72 hours |
|   | Acute EC50 0.0052 mg/l          | Algae - Skeletonema costatum   | 48 hours |
|   | Acute EC50 0.1 mg/l             | Daphnia - Daphnia magna  | 48 hours |
|   | Acute LC50 0.22 mg/l            | Fish - Oncorhynchus mykiss   | 96 hours |
|   | Acute NOEC 0.00064 mg/l         | Algae - Skeletonema costatum   | 48 hours |
|   | Chronic NOEC 0.0012 mg/l        | Algae - Pseudokirchneriella subcapitata                                | 72 hours |
|   | Chronic NOEC 0.004 mg/l         | Daphnia - Daphnia magna  | 21 days  |
| Chronic NOEC 0.098 mg/l                 | Fish - Oncorhynchus mykiss      | 28 days  |          |

**Conclusion/Summary** : This material is harmful to aquatic life with long lasting effects.

**12.2 Persistence and degradability**

**Conclusion/Summary** : Not available.

| Product/ingredient name                 | Aquatic half-life | Photolysis | Biodegradability |
|---|-------------------|------------|------------------|
| 3-iodo-2-propynyl butylcarbamate (IPBC) | -                 | -          | Readily          |
| C(M)IT/MIT (3:1)                        | -                 | -          | Not readily      |

**12.3 Bioaccumulative potential**

| Product/ingredient name               | LogP <sub>ow</sub> | BCF  | Potential |
|---------------------------------------|--------------------|------|-----------|
| pyridine-2-thiol 1-oxide, sodium salt | 0.00229            | -    | low       |
| C(M)IT/MIT (3:1)                      | -                  | 3.16 | low       |

**12.4 Mobility in soil**

**Soil/water partition coefficient (K<sub>oc</sub>)** : Not available.

**Mobility** : Not available.

**12.5 Results of PBT and vPvB assessment**

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

**12.6 Endocrine disrupting properties**

Not available.

DRYGOLIN Optimal

## SECTION 12: Ecological information

### 12.7 Other adverse effects

No known significant effects or critical hazards.

## SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 13.1 Waste treatment methods

#### Product

**Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste** : Yes.

**Disposal considerations** : Do not allow to enter drains or watercourses. Dispose of according to all federal, state and local applicable regulations. If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned. For further information, contact your local waste authority.

#### European waste catalogue (EWC)

The European Waste Catalogue classification of this product, when disposed of as waste, is:

| Waste code | Waste designation   |
|------------|---|
| 08 01 11*  | Waste paint and varnish containing organic solvents or other dangerous substances |

#### Packaging

**Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Disposal considerations** : Using information provided in this safety data sheet, advice should be obtained from the relevant waste authority on the classification of empty containers. Empty containers must be scrapped or reconditioned. Dispose of containers contaminated by the product in accordance with local or national legal provisions.

| Type of packaging | European waste catalogue (EWC)   |
|-------------------|--|
| CEPE Guidelines   | 15 01 10* packaging containing residues of or contaminated by hazardous substances |

**Special precautions** : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spill material and runoff and contact with soil, waterways, drains and sewers.

## SECTION 14: Transport information

|                              | ADR/RID        | ADN            | IMDG           | IATA           |
|------------------------------|----------------|----------------|----------------|----------------|
| 14.1 UN number or ID number  | Not regulated. | Not regulated. | Not regulated. | Not regulated. |
| 14.2 UN proper shipping name | -              | -              | -              | -              |
|                              |                |                |                |                |

DRYGOLIN Optimal

## SECTION 14: Transport information

|                                 |     |     |     |     |
|---------------------------------|-----|-----|-----|-----|
| 14.3 Transport hazard class(es) | -   | -   | -   | -   |
| 14.4 Packing group              | -   | -   | -   | -   |
| 14.5 Environmental hazards      | No. | No. | No. | No. |

**14.6 Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**14.7 Maritime transport in bulk according to IMO instruments** : Not available.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

**Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles** : Not applicable.

Other EU regulations

**VOC** : The provisions of Directive 2004/42/EC on VOC apply to this product. Refer to the product label and/or technical data sheet for further information.

**VOC for Ready-for-Use Mixture** : Not available.

**Industrial emissions (integrated pollution prevention and control) - Air** : Not listed

**Industrial emissions (integrated pollution prevention and control) - Water** : Not listed

Ozone depleting substances (1005/2009/EU)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

Persistent Organic Pollutants

Not listed.

DRYGOLIN Optimal

## SECTION 15: Regulatory information

### Seveso Directive

This product is not controlled under the Seveso Directive.

### National regulations

#### Norway

Product registration number : 661508

### International regulations

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### Montreal Protocol

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

#### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

#### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

**15.2 Chemical safety assessment** : No Chemical Safety Assessment has been carried out.

## SECTION 16: Other information

✔ Indicates information that has changed from previously issued version.

### **Abbreviations and acronyms**

: ATE = Acute Toxicity Estimate  
 CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]  
 DMEL = Derived Minimal Effect Level  
 DNEL = Derived No Effect Level  
 EUH statement = CLP-specific Hazard statement  
 N/A = Not available  
 PBT = Persistent, Bioaccumulative and Toxic  
 PNEC = Predicted No Effect Concentration  
 RRN = REACH Registration Number  
 SGG = Segregation Group  
 vPvB = Very Persistent and Very Bioaccumulative

### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

| Classification          | Justification      |
|-------------------------|--------------------|
| Aquatic Chronic 3, H412 | Calculation method |

### Full text of abbreviated H statements

|      |   |
|------|---|
| H301 | Toxic if swallowed.   |
| H302 | Harmful if swallowed.   |
| H310 | Fatal in contact with skin.                                     |
| H311 | Toxic in contact with skin.                                     |
| H314 | Causes severe skin burns and eye damage.                        |
| H315 | Causes skin irritation.   |
| H317 | May cause an allergic skin reaction.                            |
| H318 | Causes serious eye damage.                                      |
| H319 | Causes serious eye irritation.                                  |
| H330 | Fatal if inhaled.   |
| H331 | Toxic if inhaled.   |
| H372 | Causes damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life.                                     |

**DRYGOLIN Optimal****SECTION 16: Other information**

|        |   |
|--------|---|
| H410   | Very toxic to aquatic life with long lasting effects. |
| H411   | Toxic to aquatic life with long lasting effects.      |
| H412   | Harmful to aquatic life with long lasting effects.    |
| EUH070 | Toxic by eye contact.                                 |
| EUH071 | Corrosive to the respiratory tract.                   |

**Full text of classifications [CLP/GHS]**

|                   |   |
|-------------------|---|
| Acute Tox. 2      | ACUTE TOXICITY - Category 2                                     |
| Acute Tox. 3      | ACUTE TOXICITY - Category 3                                     |
| Acute Tox. 4      | ACUTE TOXICITY - Category 4                                     |
| Aquatic Acute 1   | SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1                  |
| Aquatic Chronic 1 | LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1                 |
| Aquatic Chronic 2 | LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2                 |
| Aquatic Chronic 3 | LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3                 |
| Eye Dam. 1        | SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1                  |
| Eye Irrit. 2      | SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2                  |
| Skin Corr. 1B     | SKIN CORROSION/IRRITATION - Category 1B                         |
| Skin Irrit. 2     | SKIN CORROSION/IRRITATION - Category 2                          |
| Skin Sens. 1      | SKIN SENSITISATION - Category 1                                 |
| Skin Sens. 1A     | SKIN SENSITISATION - Category 1A                                |
| STOT RE 1         | SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 1 |

**Date of printing** : 15.02.2024**Date of issue/ Date of revision** : 15.02.2024**Date of previous issue** : 15.02.2024**Version** : 1.01**Notice to reader**

The information in this document is given to the best of Jotun's knowledge, based on laboratory testing and practical experience. Jotun's products are considered as semi-finished goods and as such, products are often used under conditions beyond Jotun's control. Jotun cannot guarantee anything but the quality of the product itself. Minor product variations may be implemented in order to comply with local requirements. Jotun reserves the right to change the given data without further notice.