

# **Gardex Thinner**

# **Product description**

### **Type**

A premium low odour Mineral Spirit solvent thinner that provides the best results in thinning Gardex Premium Gloss/Semi-gloss.

#### **Features and benefits**

Low Odour - Ensures a pleasant experience in the painting process and making the property ready for occupancy in shorter period.

#### **Recommended use**

Applicable as a thinner for low odour decorative alkyd paint systems.

## **Product data**

**Colours** clear

Solids 0  $\pm$  2 volume% Flash point Closed cup: 43°C (109,4°F)

VOC Hong Kong 770 g/l

# **Application data**

#### **Remarks**

Handle with care. Stir well before use.

## **Conditions during application**

The temperature of the substrate should be minimum 10 °C and at least 3 °C above the dew point of the air, measured in the vicinity of the substrate. Good ventilation is usually required in confined areas to ensure proper drying.

## **Directions for use**

## **Surface preparation**

The substrate must be sound, clean, dry and free from dust, oil, grease, laitance etc. All traces of foam release agents must be removed. A light sanding with suitable abrasive material is recommended before application. Any resulting dust/loose particles must be removed.

#### Recommended paint system

Date of issue: 02.09.2014. by Jotun Group Page: 1/2

# Technical Data Sheet Gardex Thinner



#### **Storage**

The product must be stored in accordance with national regulations. Keep the containers in a dry, cool, well ventilated space and away from sources of heat and ignition. Containers must be kept tightly closed. Handle with care.

# **Health and safety**

Please observe the environmental and precautionary notices displayed on the container.

A Material Safety Data Sheet for the product has been issued.

Detailed information regarding health- and safety risks and precautions for the use of this product is specified in the product's Safety Data Sheet.

First-aid measures, refer to section 4.

Handling and storage, refer to section 7.

Transport information, refer to section 14.

Regulatory information, refer to section 15.

# **Disclaimer**

The information in this document is given to the best of Jotun's knowledge, based on laboratory testing and practical experience. Jotun's products are considered as semi-finished goods and as such, products are often used under conditions beyond Jotun's control. Jotun cannot guarantee anything but the quality of the product itself. Minor product variations may be implemented in order to comply with local requirements. Jotun reserves the right to change the given data without further notice.

Users should always consult Jotun for specific guidance on the general suitability of this product for their needs and specific application practices.

If there is any inconsistency between different language issues of this document, the English (United Kingdom) version will prevail.