

Jotun Fungicidal Wash

Product description

Type

A product used for surface preparation prior to painting and will become an active fungus fighting layer under paint film. It eliminates fungus and their reproductive spores. It is also effective against other typical surface organisms such as bacteria, yeast, moulds and algae.

Features and benefits

Anti Fungal & Anti Algae - Provide protection against growth of fungus, algae and other surface organism to keep the property beautiful and healthy.

Recommended use

It is an effective fungicidal cleaner for surface preparation of exterior and interior walls and wood surfaces of residential houses, commercial buildings, and chalets etc.

Substrate

On concrete, masonry, plaster, brick work and soft board surfaces.

On solid timber and also engineered wood with original wood structure on surfaces (e.g. plywood & particleboard etc.)

Product data

Packaging size	Packing may vary from country to country according to local requirements.
Colours	Clear.
Flash point	Closed cup: 36°C (96,8°F)

Application data

Remarks

Handle with care. Stir well before use.

Application methods

By brush or roller.

Conditions during application

The temperature of the substrate should be minimum 10 °C and at least 3 °C above the dew point of the air, measured in the vicinity of the substrate. Good ventilation is usually required in confined areas to ensure proper drying.

Thinner

Water

Dilution

Mildly affected area

1 part of Jotun Fungicidal Wash in 20 parts of water.

Badly affected area

1 part of Jotun Fungicidal Wash in 10 parts of water.

Directions for use

Surface preparation

The substrate must be sound, clean, dry and free from dust, oil, grease, laitance etc. All traces of form release agents/curing agents must be removed. A light sanding with suitable abrasive material is recommended before application. Any resulting dust/loose particles must be removed.

Recommended paint system

Remarks

Directions for use:

Steps

1. Water jet and scrub the surface to remove fungus and algae growth.
2. Mix Jotun Fungicidal Wash with water using recommended ratio mentioned above.
3. Use roller or brush to apply over areas to be painted.
4. Allow surface to dry (typically 24 hours) before painting.

Storage

The product must be stored in accordance with national regulations. Keep the containers in a dry, cool, well ventilated space and away from sources of heat and ignition. Containers must be kept tightly closed. Handle with care.

Health and safety

Please observe the environmental and precautionary notices displayed on the container.

A Material Safety Data Sheet for the product has been issued.

Detailed information regarding health- and safety risks and precautions for the use of this product is specified in the product's Safety Data Sheet.

First-aid measures, refer to section 4.

Handling and storage, refer to section 7.

Transport information, refer to section 14.

Regulatory information, refer to section 15.

Disclaimer

The information in this document is given to the best of Jotun's knowledge, based on laboratory testing and practical experience. Jotun's products are considered as semi-finished goods and as such, products are often used under conditions beyond Jotun's control. Jotun cannot guarantee anything but the quality of the product itself. Minor product variations may be implemented in order to comply with local requirements. Jotun reserves the right to change the given data without further notice.

Users should always consult Jotun for specific guidance on the general suitability of this product for their needs and specific application practices.

If there is any inconsistency between different language issues of this document, the English (United Kingdom) version will prevail.