

## JOTUN Sopp- og algefjerner

### Product description

#### Type

Biocidal concentrate. Fungicidal and disinfectant properties.



#### Features and benefits

Combats fungi and algal growth on fouled surfaces. Does not attack plastic, steel, paint, etc. in the recommended use concentration. Avoid spraying this agent directly onto plants. Any spills may be rinsed off with clean water.

#### Recommended use

Used to prevent fungal and algal growth on untreated, stained or painted surfaces before painting or staining. Can also be used to remove fungi and algae on surfaces that are not to be treated, eg roof tiles, paving stones, masonry and the like. On very fouled surfaces, the product is used after NO: **JOTUN 3-i-1 Kraftvask og soppfjerner** / SE: **JOTUN 3-i-1 Kraftvask och mögeldesinfektion**, for best effect. Can also be used for disinfection of surfaces; indoors and outdoors.

#### Substrate

All sorts of surfaces.



### Product data

**Packaging size** Plastic bottle: 1 L

**pH value** 12 to 13

### Application data

#### Application equipment / methods

**JOTUN Sopp- og algefjerner** is applied with a low pressure pump, or brush in smaller areas. Wear skin and eye protection.

#### Thinning

1 part **JOTUN Sopp- og algefjerner** to 10 parts water.  
On heavily fouled surfaces: 1 part **JOTUN Sopp- og algefjerner** to 5 parts water.  
Used for indoor disinfection: 1 part **JOTUN Sopp- og algefjerner** to 25 parts water.

#### Thinner

Water

### Conditions during application

**JOTUN Sopp- og algefjerner** has the best effect on microorganisms when the substrate temperature is above +20 °C.

### Directions for use

Clean the surfaces with NO: **JOTUN 3-i-1 Kraftvask og soppfjerner** / SE: **JOTUN 3-i-1 Kraftvask och mögeldesinfektion** (follow the instructions). Rinse thoroughly and allow the surface to dry before applying **JOTUN Sopp- og algefjerner**.

On heavily affected surfaces, thorough washing is required before application of **JOTUN Sopp- og Algefjerner**.

Thinning: 1 part **JOTUN Sopp- og algefjerner** to 10 parts water. On heavily fouled surfaces: 1 part **JOTUN Sopp- og algefjerner** to 5 parts water.

Apply the mixture with low pressure sprayer on large surfaces.  
Moisten the entire surface and allow it to dry. Do not rinse off.

### Management, Operation and Maintenance

Please refer to the FDV datasheet for information regarding maintenance and repair of the painted surface.

### Storage

In storage and in transport keep the container frost free and upright.

### Disposal of waste

Detergent must not be discharged into drains, but to a reception centre for dangerous waste.



### Health and safety

Please observe the environmental and precautionary notices displayed on the container.

A Material Safety Data Sheet for the product has been issued.

Detailed information regarding health and safety risks and precautions for the use of this product is specified in the product's Safety Data Sheet.

**First-aid measures**, refer to section 4.

**Handling and storage**, refer to section 7.

**Transport information**, refer to section 14.

**Regulatory information**, refer to section 15.

### Miscellaneous

#### Contact information

Jotun Sverige AB  
Box 151  
421 22 Västra Frölunda  
Tlf.: 031 69 63 00

#### Disclaimer

# Technical Data Sheet

## JOTUN Sopp- og algefjerner



The information in this document is given to the best of Jotun's knowledge, based on laboratory testing and practical experience. Jotun's products are considered as semi-finished goods and as such, products are often used under conditions beyond Jotun's control. Jotun cannot guarantee anything but the quality of the product itself. Minor product variations may be implemented in order to comply with local requirements. Jotun reserves the right to change the given data without further notice.

Users should always consult Jotun for specific guidance on the general suitability of this product for their needs and specific application practices.

If there is any inconsistency between different language issues of this document, the English (Eng) version will prevail.

This technical data sheet supersedes those previously issued.

The Technical Data Sheet (TDS) is recommended to be read in conjunction with the Safety Data Sheet (SDS) for this product. For your nearest local Jotun office, please visit our website at [www.jotun.com](http://www.jotun.com).